

MATERIAL SAFETY DATA SHEET

Western Environmental Services, Inc.
P.O. Box 9035
Scottsdale, AZ 85252

GENERAL INFORMATION NUMBER: (602) 234-8873

REVISION DATE: April 17, 2002

DATE OF ISSUE: March 19, 2004

I - Product Identification

Paint Away

PRODUCT CODE: 0330

CHEMICAL FORMULATION: Thickened Solvent Blend

NFPA HAZARD IDENTIFICATION SYSTEM: HEALTH: 3

FLAMMABILITY: 1

REACTIVITY: 0

HAZARD RATING: 4 - Extreme; 3 - High; 2 - Moderate; 1 - Slight; 0 - Insignificant

II - Hazardous Ingredients

Values reported as TWA unless noted.

SUBSTANCE	APPROX %	OSHA PEL	ACGIH TLV	EPA 40 CFR:			CAS #
				302	355	372	
Methylene Chloride	> 80.0	350 ppm	350 ppm	Y	Y	N	75-09-2
Methanol	> 5.0	200 ppm	200 ppm	N	N	N	67-56-1

Key: PEL: Permissible Exposure Limit TLV: Threshold Limit Value C: Ceiling level STEL: Short Term Exposure Limit
N/A: Not Applicable N/D: Not Determined N/E: Not Established Y: Yes N: No
302: CERCLA List of Hazardous Substances and Reportable Quantities (40 CFR 302.4).
355: SARA TITLE III / List of Extremely Hazardous Substances for Emergency Planning and Notification (40 CFR 355).
372: SARA TITLE III / List of Toxic Chemicals subject to Release Reporting (Community Right to Know) (40 CFR 372).

III - Physical Data

BOILING POINT (°F): 300

SPECIFIC GRAVITY (WATER = 1): 1.26

VAPOR PRESSURE (mm Hg): N/A

VOC CONTENT (% by weight): > 90

VAPOR DENSITY (AIR = 1): N/A

EVAPORATION RATE (WATER = 1): > 1.0

SOLUBILITY IN WATER: Insoluble

pH: N/A

APPEARANCE AND ODOR: Viscous pink, opaque liquid, chlorinated solvent odor.

IV - Fire and Explosion Hazard Data

FLASH POINT (°F): > 200

(TEST METHOD): Closed cup

FLAMMABLE LIMITS IN AIR (VOLUME %)

UPPER: N/A

LOWER: N/A

EXTINGUISHING MEDIA: Foam, carbon dioxide, dry chemical.

SPECIAL FIRE FIGHTING PROCEDURES: Cool fire exposed containers with water fog. Firefighters should be equipped with full protective gear including self-contained breathing apparatus.

UNUSUAL FIRE AND EXPLOSION HAZARD: None

V - Reactivity Data

STABILITY: Stable**INCOMPATIBILITY:** Strong acids and oxidizing agents.**CONDITIONS TO AVOID:** High temperatures**HAZARDOUS DECOMPOSITION PRODUCTS:** Thermal decomposition may produce oxides of carbon, HCL, and chlorine gas.**HAZARDOUS POLYMERIZATION:** Will not occur.**CONDITIONS TO AVOID:** None

VI - Health Hazard Data

ROUTES OF ENTRY INHALATION: X EYE CONTACT: X SKIN CONTACT: X INGESTION: X**INGREDIENTS THAT ARE CONSIDERED BY OSHA, NTP, IARC TO BE SUSPECTED HUMAN CARCINOGENS:** None**EFFECTS OF OVEREXPOSURE****IF IN EYES:** Irritation, tearing, redness, blurred vision.**IF SWALLOWED:** Gastrointestinal irritation, nausea, vomiting, diarrhea.**IF INHALED:** Respiratory tract irritation, dizziness, headache, nausea, narcosis, euphoria.**EMERGENCY AND FIRST AID PROCEDURES****IF IN EYES:** Flush eyes and under eyelids with plenty of cool water for at least 15 minutes. If irritation persists, obtain medical attention.**IF ON SKIN:** Remove contaminated clothing and launder before re-use. Wash with soap and water. If irritation persists, obtain medical attention.**IF SWALLOWED:** Contact physician or poison control center immediately. Give affected person several glasses of water and induce vomiting. Never give anything by mouth to an unconscious person.**IF INHALED:** Remove person to fresh air. Perform artificial respiration if indicated. Obtain medical assistance. Do not give stimulants.

VII - Spill or Leak Protection

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: Extinguish all sources of ignition and ventilate area. Soak up spilled material with inert absorbent material and place in closed container for disposal. Wash floor to remove sticky residue.**WASTE DISPOSAL METHOD:** Consult local environmental authorities.

VIII - Special Protection Information

RESPIRATORY PROTECTION: Use with adequate ventilation. If recommended Exposure Limits are exceeded wear a NIOSH approved respirator, following manufacturer's recommendations.**VENTILATION****LOCAL:** Recommended**MECHANICAL:** Recommended**PROTECTIVE GLOVES:** Chemical resistant.**EYE PROTECTION:** Safety glasses.**OTHER PROTECTIVE EQUIPMENT:** Protective clothing, emergency shower and eye wash station.**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:** Store in a cool, dry place away from heat or open flame.

Keep container tightly closed when not in use.

OTHER PRECAUTIONS: Keep out of reach of children.

IX - Transportation Information (ground transportation only)

DOT PROPER SHIPPING NAME: None**DOT CLASS:** None**DOT ID NUMBER:** None**DOT PACKING GROUP:** None

The shipping information listed above applies only to non-bulk (< 119 gallons) containers of this product. This product may have more than one proper shipping name depending on packaging, product properties, & mode of shipment. If any alteration of packaging, product, or mode of transportation is further intended, different shipping names and labeling may apply.

REVISION DATE: April 17, 2002**Prepared by:** PMR**DATE OF ISSUE:** March 19, 2004

This information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Western Environmental Services, Inc. assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material such vendees or users assume all risks associated with the use of this material.